

Support Calculations
ASCE 7-02 Wind Design (120mph)

For
Standard Cupola CU1156

Job Number 060118


Prepared for:
Fiberglass Specialties Inc.

Designed by Philippe Lalonde, P.E.
6617 Red Bud Road
Fort Worth, Texas 76135
817-307-8266

DESIGN PARAMETERS

The unit described in these drawings is engineered to adequately support the loads created by a wind velocity of 120 MPH at a height of 50' above ground using ASCE 7-02 exposure category "C".

P.O. BOX 1340
 HENDERSON, TX 75653-1340
 903/657-6522
 FAX# 903/657-2318



FIBERGLASS
 SPECIALTIES
 INCORPORATED

Project: CUPOLA UNIT #1156

Date: 11-29-00

Revisions 11-03-05 AGT

Scale: 1"=1'

Drawing By: RLB


Checked By: ALL-STL

File # CU1156F

Sheet #

E1F

ELEVATION



CUPOLA UNIT #1156
 WITH FALSE LOUVERS

1 ELEVATION
 E1

THESE DRAWINGS ARE THE PROPERTY OF FIBERGLASS SPECIALTIES INC. DIMENSIONS AND DETAILS ARE SUBJECT TO CHANGE WITHOUT NOTICE. ALL CUPOLA AND STEEPLE UNITS ARE FABRICATED USING MINIMAL STANDING SEAMS UNLESS OTHERWISE NOTED. ALL CUPOLA AND STEEPLE UNITS ARE DESIGNED TO BE ERECTED ON A COMPLETED ROOFING SYSTEM AND ARE NOT GUARANTEED TO BE LEAK PROOF.

